# Contents Volume 136, 1997

Iceberg rafting and scouring in the Early Permian Shoalhaven Group of New South Wales, Australia: Evidence of Heinrich-like events?
N. Eyles, C.H. Eyles and V.A. Gostin ..... 1
Biogeographic impact of the Leeuwin Current in southern Australia since the late middle Eocene
B. McGowran, Q. Li, J. Cann, D. Padley, D.M. McKirdy and S. Shafik ..... 19
Palaeoenvironmental significance of a benthic foraminiferal fauna from an archaeological excavation in the Lagoon of Venice, Italy
R. Serandrei Barbero, A.D. Albani and S. Zecchetto ..... 41
Response of larger foraminifera to mixed carbonate–siliciclastic environments: an example from the Oligocene–Miocene sequence of Kutch, India
A. Kumar and P.K. Saraswati ..... 53
Gastropod shell repair in the intertidal of Bahia la Choya (N. Gulf of California)
G.C. Cadée, S.E. Walker and K.W. Flessa ..... 67
Palaeoenvironmental interpretation of a Triassic–Jurassic boundary section from Western Austria based on palaeoecological and geochemical data
C.A. McRoberts, H. Furrer and D.S. Jones ..... 79
Tectonic and palaeobiogeographic significance of the Chatham Islands, South Pacific, Late Cretaceous fauna
J.D. Stilwell ..... 97
The determination of late Quaternary paleoenvironments at Equus Cave, South Africa, using stable isotopes and amino acid racemization in ostrich eggshell
B.J. Johnson, G.H. Miller, M.L. Fogel and P.B. Beaumont ..... 121
A fossil termite nest from the Marplatan stage (late Pliocene) of Argentina: palaeoclimatic indicator
J.F. Genise ..... 139
Early Palaeocene palaeoclimatic inferences from fossil floras of the western interior, USA
K. Siân Davies-Vollum ..... 145
High-frequency sea-level fluctuations and plant habitats in Cenomanian fluvial to estuarine succession: Pecínov quarry, Bohemia
D. Uličný, J. Kvaček, M. Svobodová and L. Špičáková ..... 165
Calibrating grass phytolith assemblages in climatic terms: Application to late Pleistocene assemblages from Kansas and Nebraska
G.G. Fredlund and L.L. Tieszen ..... 199
Phytoliths: indicators of grassland dynamics during the late Holocene in intertropical Africa
A. Alexandre, J.-D. Meunier, A.-M. Lézine, A. Vincens and D. Schwartz ..... 213
Reconstruction and paleoclimatic interpretation of Holocene lake-level changes in Lac de Saint-Léger, Haute-Provence, southeast France
G. Digerfeldt, J.-L. de Beaulieu, J. Guiot and J. Mouthon ..... 231
A revised 30,000-year paleoclimatic and paleohydrologic history of Lake Albert, East Africa
K.R.M. Beuning, M.R. Talbot, K. Kelts and D.A. Livingstone ..... 259
A continuous Late Glacial and Holocene record of vegetation changes in Kazakhstan
P.E. Tarasov, D. Jolly and J.O. Kaplan ..... 281
Late Wisconsin environments of the Bering Land Bridge
S.A. Elias, S.K. Short and H.H. Birks ..... 293
Palaeogeographical significance of clay mineral assemblages in the Permian and Triassic sediments of the SE Iberian Ranges, eastern Spain
J. Alonso-Azcárate, A. Arche, J.F. Barrenechea, J. López-Gómez, F.J. Luque and M. Rodas ..... 309
Palaeoceanography of the early Zechstein Sea during Kupferschiefer deposition in the Lower Rhine Basin (Germany): A reappraisal from stable isotope and organic geochemical investigations
A. Bechtel and W. Püttmann ..... 331
Application of artificial neural networks to paleoceanographic data
B.A. Malmgren and U. Nordlund ..... 359

Erratum ..... 375

Author Index ..... 377